

Decreasing Arterial Line Complications: lessening ischemia, pseudoaneurysms and related complications

Combined General Surgery, Plastic Surgery Residencies and Plastic Surgery Fellowship Project Department Mentors: Stuart Leon, Fernando A. Herrera, Milton B. Armstrong Residents: Donna Mullner, Cathy Chung, Briana McLaughlin Student: Rebecca Brantlev

Background

Radial arterial line placement and radial arterial access for procedures is not without risk to patients.

We have seen numerous complications at MUSC from radial arterial access and line placement removal including ischemia of single and multiple digits as well as hematomas and pseudoaneurysms from lack of adequate pressure after removal.

The MUSC EPIC procedure template for arterial line placement does not have a mandatory checkbox for Allen's testing

At MUSC there no formal system wide training for the use of TR bands with removal of A-lines.

The most common complication is hand ischemia from radial artery thrombosis in up to 18% of patients ¹

Conventional removal methods compared to patent hemostasis (with TR band devices) leads to lower rates of radial artery occlusion and ischemia, 5% vs 12% ²

Kanei Y, Kwan T, Nakra NC. Transradial cardiac catheterization: a review of access site complica- tions. Catheter CardiovascInterv 2011:78:840-6.

Pancholy S, Coppola J, Patel T, et al. Prevention of radial artery occlusion—patent hemostasis evaluation trial (PROPHET study): a randomized compar- ison of traditional versus patency documents hemostasis after transradial catheterization. Cath- eter Cardiovasc Interv 2008;72(3):335-40.

Aim Statement

Improve pre radial arterial line/access compliance to 70% by performing preplacement Allen's test

MUSC Pillar: Quality

Methods

Initiation:

- Initial informational PowerPoint and survey were distributed to residents/fellows
- Radial arterial line checklists were distributed the STICU resident workroom with instructions (Figure 1)
- Forms were collected at the halfway point and recorded
- We were unable to include TR band usage as part of this initial QI due to MUSC nursing policy/education

Halfway point:

- A secondary informational PowerPoint was distributed residents/fellows
- Fliers were placed around STICU detailing project

Reintervention:

- Forms were redistributed and collected
- Survey of project awareness was sent to general surgery and plastic surgery departments

Radial A-line PLACEMENT Checklist Patient label: Date radial A-line placed: Circle one for each listed below Location: right hand left hand 3. Who placed the A-line?: **Respiratory Therapist Advanced Practice Provider** PGY2. PGY3. Fellow 4. Allen's Test Performed? YES NO

POSITIVE

NEGATIVE

NO

Figure 1. Radial arterial line checklist

Results of Allen's Test.

6. Was the ultrasound used? YES

order to implement patient safety measures for radial arterial line placement and access Barriers information

project

- Cycling residents each month/dispersion of
- Multiple disciplines place radial arterial lines (residents/fellows, APPs, RTs)
- Inability to include TR bands as part of this study due to hospital nursing policy/lack of education

CONCLUSIONS

procedure check list prior to radial artery access

An Allen's test is easy to add as part of a pre-

There were no radial arterial line complications

related to radial arterial access during this QI


There have been iatrogenic complications

initiative in other departments at MUSC

There needs to be a hospital wide initiative in

related to STICU placement of lines during this

Results



	Fall 2021	Spring 2022
Total radial arterial lines placed	5	5
Number with Allen's Test	1 4	4
Complication related to STICU radia arterial line		
Resident education survey participation (%)	60%	100%

Next steps

- Increase participation with a multidisciplinary approach across ICUs at MUSC.
- Improve compliance with reliable implementation of Allen's test and completion of pre and post procedural checklists with radial Aline placement/removal.
- Currently working with EPIC to add an Allen's test checkbox under arterial line procedures, allowing for a more reliable and efficient method of documentation
- Standardize the use of adequate patent hemostasis with TR bands upon removal of alines across ICUs
 - Training/education sessions with hospital staff on using TR bands for achieving hemostasis following line removal, prior to initiating more widespread use of this device.